



WAAS CH 78429 W17A	APP CRS 169°	Rwy Idg 5003 TDZE 13 Apt Elev 14
--	------------------------	---

RNAV (GPS) RWY 17

LOUISIANA RGNL (REG)

Baro-VNAV NA. DME/DME RNP-0.3 NA. Use Baton Rouge altimeter setting. NA Rwy 17 helicopter visibility reduction below ¾ SM NA.	MISSED APPROACH: Climb to 2000 direct EDUYA and hold.
--	---

REG AWOS-3PT 121.175	BTR ASOS 125.2	BATON ROUGE APP CON★ 133.225 278.3	GCO 135.075	UNICOM 123.0 (CTAF) 0
--------------------------------	--------------------------	--	-----------------------	---------------------------------



4 NM Holding Pattern				
VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 50).				
AYUYE				
FENPA				
RW17				
GP 3.00° TCH 40				
6 NM 5.1 NM				
CATEGORY	A	B	C	D
LPV DA	407-1⅜		394 (400-1⅜)	
LNAV/VNAV DA	471-1⅝		458 (500-1⅝)	
LNAV MDA	540-1	527 (600-1)	540-1½	527 (600-1½)
CIRCLING	540-1 526 (600-1)	600-1 586 (600-1)	760-2¼ 746 (800-2¼)	760-2½ 746 (800-2½)

WAAS CH 45940 W35A	APP CRS 349°	Rwy Idg TDZE 14 Apt Elev 14	5003
--	------------------------	---	-------------



RNAV (GPS) RWY 35
LOUISIANA RGNL (REG)

⚠

For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -15°C (5°F) or above 54°C (130°F). DME/DME RNP-0.3 NA.

MISSED APPROACH: Climb to 2000 direct AYUYE and hold.

REG AWOS-3PT 121.175	BTR ASOS 125.2	BATON ROUGE APP CON★ 133.225 278.3	GCO 135.075	UNICOM 123.0 (CTAF) 0
--------------------------------	--------------------------	--	-----------------------	---------------------------------



2000	AYUYE										
*LNAV only.		*1.4 NM to RW35		RAKIE 1700		EDUYA		4 NM Holding Pattern		2000	
				1700						GP 3.00° TCH 50	
		1.4 NM		3.7 NM		5.8 NM					
CATEGORY		A		B		C				D	
LPV DA				264-3/4		250 (300-3/4)					
LNAV/VNAV DA				417-1 3/8		403 (500-1 3/8)					
LNAV MDA		500-1		486 (500-1)		500-1 3/8		486 (500-1 3/8)			
CIRCLING		500-1 486 (500-1)		520-1 506 (600-1)		700-2 686 (700-2)		700-2 1/4 686 (700-2 1/4)			

SC-4, 22 FEB 2024 to 21 MAR 2024




SC-4, 22 FEB 2024 to 21 MAR 2024

VORTAC LSU 116.5 Chan 112	APP CRS 129°	Rwy Idg TDZE Apt Elev 14	N/A N/A 14
---	------------------------	--	---------------------------------------

VOR-A
LOUISIANA RGNL (REG)

NA	DME required. Use Baton Rouge altimeter setting.	MISSED APPROACH: Climbing right turn to 3000 on LSU VORTAC R-129 to CLARA/15 DME and hold.
-----------	--	--

REG AWOS-3PT 121.175	BTR ASOS 125.2	BATON ROUGE APP CON★ 133.225 278.3	GCO 135.075	UNICOM 123.0 (CTAF)
--------------------------------	--------------------------	--	-----------------------	-------------------------------



GONZALES, LOUISIANA				LOUISIANA RGNL (REG)			
Amdt 2C 10SEP20				30°10'N-90°56'W			
				VOR-A			

SC-4, 22 FEB 2024 to 21 MAR 2024

SC-4, 22 FEB 2024 to 21 MAR 2024